



International Organization for Standardization



International Accreditation Forum

Date: 13 January 2016

## **ISO 9001 Auditing Practices Group** **Guidance on:**

### **Measurement Traceability**

#### **1. Background**

ISO 9001, clause 7.1.5.2, requires the organization to ensure that “...when measurement traceability is a requirement, or is considered by the organization to be an essential part of providing confidence in the validity of measurement results, measuring equipment shall be:

- a) calibrated or verified...
- b) identified...”
- c) safeguarded..”:

It is important for auditors to seek demonstrable and objective evidence of such measurement traceability while auditing organizations. Traceability requires an established calibration hierarchy for measuring equipment.

Organizations should ensure that measurements performed to evaluate their products, services or equipment (e.g. for safety, quality, protection of health and the environment), or measurements performed by their own products, are traceable to SI units or to an agreed method of testing.

In testing it may not always be possible to achieve traceability to SI units; in such cases traceability may be achieved by using validated test methods, calibrated equipment and certified reference materials. In cases where an empirical value is being determined the measurement may just be traceable to the result of a specific test method being applied (e.g. fat content, colony count).

The requirements for measurement traceability and associated quality control procedures are specified for laboratories in ISO/IEC 17025 *General requirements for the competence of testing and calibration laboratories* (see Sections 5.6 and 5.9).

Certification auditors should always seek to find objective evidence of such measurement traceability.

#### **2. Implementation**

Certification Body auditors should be aware that there are clearly defined requirements in regard to the acceptance of evidence of measurement traceability.

The following statement from the ILAC/IAF JCCC should be considered while evaluating traceability:

*“An item of measuring equipment shall be deemed to have traceability to internationally or nationally recognised standards of measurement when it has been calibrated by one of the following bodies and is of appropriate accuracy for the measurement in question:*

- (a) Whether the calibration is traceable to an equipment calibrated in a metrology or calibration laboratory accredited for the measurement in question, by a national laboratory accreditation body that is a signatory to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement.*
- (b) If the calibration is done in a National Metrology Laboratory then whether the NML is listed in the Appendix C of the Bureau International des Poids et Mesures (BIPM) database established under the Comité des Poids et Mesures (CIPM) Mutual Recognition Arrangement, for the measurement in question*

*To ensure that the measurements are covered by the calibration facility's scope of accreditation, the measurements must be reported on a certificate or report that contains the logo of one of the above-mentioned authorities.”*

Auditors should be able to verify that measurements are traceable and accredited laboratories are used as far as possible.

---

For further information on the ISO 9001 Auditing Practices Group, please refer to the paper: *Introduction to the ISO 9001 Auditing Practices Group*

Feedback from users will be used by the *ISO 9001 Auditing Practices Group* to determine whether additional guidance documents should be developed, or if these current ones should be revised.

Comments on the papers or presentations can be sent to the following email address: [charles.corrie@bsigoup.com](mailto:charles.corrie@bsigoup.com).

The other ISO 9001 Auditing Practices Group papers and presentations may be downloaded from the web sites:

[www.iaf.nu](http://www.iaf.nu)  
[www.iso.org/tc176/ISO9001AuditingPracticesGroup](http://www.iso.org/tc176/ISO9001AuditingPracticesGroup)

### **Disclaimer**

This paper has not been subject to an endorsement process by the International Organization for Standardization (ISO), ISO Technical Committee 176, or the International Accreditation Forum (IAF).

The information contained within it is available for educational and communication purposes. The *ISO 9001 Auditing Practices Group* does not take responsibility for any errors, omissions or other liabilities that may arise from the provision or subsequent use of such information.